

Dimmer recommendation list

Our dimmer recommendations are non-binding. Both special LED dimmers and dimmers, which are intended for incandescent lamps, high voltage halogen lamps and Tronic transformers with halogen lamps, are tested. With both dimmer versions - mentioned in our list below - perfect results are possible. In the event that you already own a dimmer, we recommend that you test it. System-related problems (current fluctuations, etc.) can have an impact upon the dimmer behaviour and slight humming noises may occur. Please ensure that you read the dimmer operating instructions in all circumstances.

As a result of external influences, it may be the case that a dimmer/LED combination does not function. We therefore make no guarantee or warranty that a specific dimmer/LED light combination will function in all circumstances nor do we assume any liability for damage that may occur as a result. Our dimmer recommendations are non-binding.

Art. Nr.	Serie	nicht dimmbar	Dimmer integriert	Schweiz																		
				Casambi optional	ZigBee optional	Gira 540100	Gira 540200	Gira 245500	Gira 245000	Gira 2450	Berker 296110	Jung 1731 DD	Jung 1711 DE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	Busch Jäger 6523UR-103	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Merten MEG5171-0000	Merten MEG 5134-0000	Feller 40 200 LED
273 502 09	Arco	x																				
273 904 09	Arco											x						x				x
273 906 09	Arco											x						x				x
357 905 09	More		D																			
359 905 09	More		D																			
361 001 09	Frame Einbau											x	x	x	x							x
361 604 09	Frame			x	x							x	x	x	x							x
361 801 09	Frame			x								x	x	x	x							x
361 802 09	Frame			x	x							x	x	x	x							x
361 804 09	Frame			x	x							x	x	x	x							x
361 809 09	Frame			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
367 804 09	Extra			x								x						x				x
367 806 09	Extra			x								x						x				x
385 801 09	Cubus			x								x	x	x	x			x	x	x	x	x
385 803 09	Cubus			x								x	x	x	x			x	x	x	x	x
385 804 09	Cubus			x								x	x	x	x			x	x	x	x	x
385 805 09	Cubus			x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
386 801 01	Cubus			x								x	x	x	x		x	x	x	x	x	x
386 801 31	Cubus			x								x	x	x	x		x	x	x	x	x	x
386 803 09	Cubus			x								x	x	x	x		x	x	x	x	x	x
386 804 09	Cubus			x								x	x	x	x		x	x	x	x	x	x
386 805 09	Cubus			x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
389 004 09	Line 4-flg. Beweg.											x					x	x				x
389 501 09	Line Wala 1-flg.											x										x
389 802 09	Line Dela 2-flg.											x	x		x	x						x
389 803 09	Line Dela 3-flg.											x	x		x	x						x
389 804 09	Line Dela 4-flg.											x	x		x	x						x
389 805 09	Line Dela 5-flg.											x	x		x	x						x
391 901 09	Plus		x	x																		
391 903 09	PLUS		x	x													x					
416 801 09	Elle		x									x										
416 802 09	Elle			x	x							x										
416 803 09	Elle			x	x							x					x					
416 804 09	Elle			x	x							x					x					
417 801 09	Elle		x									x										
417 802 09	Elle			x	x							x										
417 803 09	Elle			x	x							x						x				
417 804 09	Elle			x	x							x					x					
419 801 09	AT		x	x													x	x				x
419 802 09	AT		x	x													x	x				x
419 901 09	AT		x	x													x	x				x
419 902 09	AT		x	x													x	x				x
420 801 09	AT		x	x													x	x				x
420 802 09	AT		x	x													x	x				x
420 901 09	AT		x	x													x	x				x
420 902 09	AT		x	x													x	x				x
421 903 09	Convex		x	x													x	x	x			
436 601 09	Flat		x									x					x	x	x			x

			nicht dimmbar	Dimmer integriert	Casambi optional	ZigBee optional	Gira 540100	Gira 540200	Gira 245500	Gira 245000	Gira 2450	Berker 296110	Jung 1731 DD	Jung 1711 DE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	Busch Jäger 6523UR-103	VADSBÖ VD200	Merten MEG5138-0000	Merten MEG5136-0000	Merten MEG5171-0000	Merten MEG 5134-0000	Feller 40 200 LED	Feller 40 600 RC
Art. Nr.	Serie																							
436 801 09	Flat			x															x	x	x		x	
459 901 09	Do			D																				
460 901 09	Do			D																				
461 004 09	Slight			x														x		x	x	x	x	
461 804 09	Slight			x														x		x	x	x	x	
461 806 09	Slight			x													x		x	x	x	x	x	
462 004 09	Slight			x													x		x	x	x	x	x	
462 804 09	Slight			x													x		x	x	x	x	x	
462 806 09	Slight			x													x		x	x	x	x	x	
463 004 09	Slight			x													x		x	x	x	x	x	
463 804 09	Slight			x													x		x	x	x	x	x	
463 806 09	Slight			x													x		x	x	x	x	x	
467 800 09	Flair			x	x												x			x	x	x	x	
467 900 09	Flair			x	x												x			x	x	x	x	
490 600 09	Flow			D																				
490 800 09	Flow			x	x												x						x	
496 901 09	Link			x	x												x		x				x	
600 801 09	Flash																x			x			x	
600 802 09	Flash			x	x												x			x			x	
600 803 09	Flash			x	x												x			x			x	
600 804 09	Flash			x	x												x			x			x	
601 801 09	Flash																x			x			x	
601 802 09	Flash			x	x												x			x			x	
601 803 09	Flash			x	x												x			x			x	
601 804 09	Flash			x	x												x			x			x	
604 801 09	Lamina																x		x	x	x	x	x	
604 802 09	Lamina			x	x												x		x	x	x	x	x	
604 803 09	Lamina			x	x												x		x	x	x	x	x	
604 804 09	Lamina			x	x												x		x	x	x	x	x	
634 803 09	SESSION			x	x											x	x		x	x	x	x	x	
634 804 09	SESSION			x	x											x	x		x	x	x	x	x	
634 806 09	SESSION			x	x											x	x		x	x	x	x	x	
635 802 09	LESS			x	x											x		x	x	x	x	x	x	
637 802 09	LESS			x	x											x		x	x	x	x	x	x	
638 603 09	PIXEL 2.0			x	x											x		x	x	x	x	x	x	
638 801 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
638 802 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
638 804 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
639 603 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
639 801 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
639 802 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
639 804 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
640 603 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
640 801 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
640 802 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
640 804 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
641 603 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
641 801 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
641 802 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
641 804 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
643 603 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
643 801 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
643 802 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
643 804 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
644 603 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
644 801 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
644 802 09	PIXEL 2.0			x												x		x	x	x	x	x	x	
644 804 09	PIXEL 2.0			x												x		x	x	x	x	x	x	

Art. Nr.	Serie		nicht dimmbar	Dimmer integriert	Casambi optional ⚠️	ZigBee optional 🚫	Gira 540100	Gira 540200	Gira 245500	Gira 245000	Gira 2450	Berker 296110	Jung 1731 DD	Jung 1711 DE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	Busch Jäger 6523UR-103	VADSBO YD200	Merten MEG5138-0000	Merten MEG5136-0000	Merten MEG5171-0000	Merten MEG 5134-0000	Schweiz
645 603 09	PIXEL 2.0		x												x	x	x			x			
645 801 09	PIXEL 2.0		x												x	x	x			x			
645 802 09	PIXEL 2.0		x												x	x	x			x			
645 804 09	PIXEL 2.0		x												x	x	x			x			
646 603 09	PIXEL 2.0		x												x	x	x			x			
646 801 09	PIXEL 2.0		x												x	x	x			x			
646 802 09	PIXEL 2.0		x												x	x	x			x			
646 804 09	PIXEL 2.0		x												x	x	x			x			
647 001 09	ONE														x	x	x			x			
647 801 09	ONE														x	x	x			x			
648 001 09	ONE														x	x	x			x			
648 801 09	ONE														x	x	x			x			
650 600 09	BREAK														x	x	x	x		x			
650 900 09	BREAK		x	x											x	x	x	x		x			
652 600 09	BREAK		x	x											x	x	x	x		x			
652 900 09	BREAK		x	x											x	x	x	x		x			
653 600 09	BREAK		x	x											x	x	x	x		x			
653 900 09	BREAK		x	x											x	x	x	x		x			
654 600 09	BREAK		x	x											x	x	x	x		x			
654 900 09	BREAK		x	x											x	x	x	x		x			
660 002 00	NANO	D																					
660 602 00	NANO	D																					
660 902 00	NANO	D																					
662 002 00	NANO	D																					
662 602 00	NANO	D																					
662 902 00	NANO	D																					
665 002 00	NANO	D																					
665 602 00	NANO	D																					
665 902 00	NANO	D																					
808 603 09	BOX BASIC		x	x											x	x	x	x	x	x			
808 803 09	BOX BASIC		x	x											x	x	x	x	x	x			
809 603 00	BOX COMFORT		x	x											x	x	x	x	x	x			
809 803 00	BOX COMFORT		x	x											x	x	x	x	x	x			
810 603 00	BOX COMFORT		x	x											x	x	x	x	x	x			
810 803 00	BOX COMFORT		x	x											x	x	x	x	x	x			
811 603 00	BOX COMFORT		x	x											x	x	x	x	x	x			
811 803 00	BOX COMFORT		x	x											x	x	x	x	x	x			
812 603 00	BOX COMFORT		x	x											x	x	x	x	x	x			
812 803 00	BOX COMFORT		x	x											x	x	x	x	x	x			
813 603 00	BOX COMFORT		x	x											x	x	x	x	x	x			
813 803 00	BOX COMFORT		x	x											x	x	x	x	x	x			
814 002 00	NANO	D																					
814 602 00	NANO	D																					
814 902 00	NANO	D																					
815 002 00	NANO	D																					
815 602 00	NANO	D																					
815 902 00	NANO	D																					
816 801 09	GALAXY BASIC														x	x	x	x	x	x			
816 802 09	GALAXY BASIC														x	x	x	x	x	x			
816 803 09	GALAXY BASIC														x	x	x	x	x	x			
816 805 09	GALAXY BASIC	x													x	x	x	x	x	x			
817 801 00	GALAXY COMFORT														x	x	x	x	x	x			
817 802 22	GALAXY COMFORT														x	x	x	x	x	x			
817 803 00	GALAXY COMFORT														x	x	x	x	x	x			
817 805 00	GALAXY COMFORT	x													x	x	x	x	x	x			
818 801 00	GALAXY COMFORT														x	x	x	x	x	x			
818 802 00	GALAXY COMFORT														x	x	x	x	x	x			
818 803 00	GALAXY COMFORT														x	x	x	x	x	x			

Art. Nr.	Serie		nicht dimmbar	Dimmer integriert	Casambi optional ⚠️	ZigBee optional 🚫	Gira 540100	Gira 540200	Gira 245500	Gira 245000	Gira 2450	Berker 296110	Jung 1731 DD	Jung 1711 DE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	Busch Jäger 6523UR-103	VADSBO YD200	Merten MEG5138-0000	Merten MEG5136-0000	Merten MEG5171-0000	Merten MEG 5134-0000	Schweiz
																					Feller 40 200 LED	Feller 40 600 RC	
818 805 00	GALAXY COMFORT		x												x	x	x	x	x		x		
819 801 00	GALAXY COMFORT														x	x	x	x			x		
819 802 00	GALAXY COMFORT														x	x	x	x			x		
819 803 00	GALAXY COMFORT														x	x	x	x			x		
819 805 00	GALAXY COMFORT		x												x	x	x	x			x		
824 604 09	NANO PLUS BASIC		x x												x	x	x	x	x		x		
824 802 09	NANO PLUS BASIC		x x												x	x	x	x	x		x		
824 803 09	NANO PLUS BASIC		x x												x	x	x	x	x		x		
824 804 09	NANO PLUS BASIC		x x												x	x	x	x	x		x		
825 604 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
825 802 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
825 803 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
825 804 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
826 604 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
826 802 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
826 803 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
826 804 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
827 604 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
827 802 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
827 803 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
827 804 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
828 604 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
828 802 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
828 803 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
828 804 00	NANO PLUS COMFORT		x x												x	x	x	x	x		x		
829 802 00	GRAFICO		x x	x x x x x x x x										x	x	x	x	x		x			
829 804 00	GRAFICO		x x	x x x x x x x x										x	x	x	x	x		x			
829 808 00	GRAFICO		x x	x x x x x x x x										x	x	x	x	x		x			
832 802 00	GRAFICO		x x	x x x x x x x x										x	x	x	x	x		x			
832 804 00	GRAFICO		x x	x x x x x x x x										x	x	x	x	x		x			
832 808 00	GRAFICO		x x	x x x x x x x x										x	x	x	x	x		x			
833 606 09	TOUCH		x x												x	x	x	x	x		x		
833 804 09	TOUCH		x x												x	x	x	x	x		x		
833 806 09	TOUCH		x x												x	x	x	x	x		x		
833 906 09	TOUCH	D																					
834 606 09	TOUCH		x x												x	x	x	x	x		x		
834 804 09	TOUCH		x x												x	x	x	x	x		x		
834 806 09	TOUCH		x x												x	x	x	x	x		x		
834 906 09	TOUCH	D																					
853 002 09	NANO BASIC		x x												x	x	x	x	x		x		
921 601 00	CLOSE														x	x	x	x	x		x		
921 603 00	CLOSE														x	x	x	x	x		x		
921 802 00	CLOSE														x	x	x	x	x		x		
921 803 00	CLOSE														x	x	x	x	x		x		
921 804 00	CLOSE														x	x	x	x	x		x		
921 806 00	CLOSE														x	x	x	x	x		x		
922 601 00	CLOSE														x	x	x	x	x		x		
922 603 00	CLOSE														x	x	x	x	x		x		
922 802 00	CLOSE														x	x	x	x	x		x		
922 803 00	CLOSE														x	x	x	x	x		x		
922 804 00	CLOSE														x	x	x	x	x		x		
922 806 00	CLOSE														x	x	x	x	x		x		
923 601 00	CLOSE														x	x	x	x	x		x		
923 603 00	CLOSE														x	x	x	x	x		x		
923 802 00	CLOSE														x	x	x	x	x		x		
923 803 00	CLOSE														x	x	x	x	x		x		
923 804 00	CLOSE														x	x	x	x	x		x		
923 806 00	CLOSE														x	x	x	x	x		x		

D Je nach Leuchtenmodell kann der integrierte Dimmer über einen Taster, Berührungssensor oder eine Gestensteuerung bedient werden.



If you want more than to just control your lighting, there is a very good Smart Home solution available that is based on the ZigBee radio standard. ZigBee is hereby deemed to be the most important standard and provides a wireless communication between a Smart Media device and the existing home technology. For lights marked with this symbol a ZigBee module can be ordered optionally as accessory. With an installed ZigBee module, it is possible to control the lighting by voice control without difficulty. The following are just some of the systems that are supported: Philips Hue, Amazon Alexa, Google Home, Apple HomeKit.



For lights marked with this symbol a dimmer (Casambi module) can be ordered optionally as accessory which permits the light to be dimmed via the normal switch and/or via an App (Casambi) by means of smartphone or tablet.



Depending on the actual installation environment, slight flickering may occur when dimming with the Casambi /Zigbee module in the lowest brightness range. As with the classic flushmounted dimmers, you should in such case increase the brightness manually.

- * Lights with switch module can be equipped with a dimmer (Casambi/ZigBee module) and can be dimmed via smartphone or tablet.

X¹ Depending on the lighting product the integrated dimmer can be operated via a button or touch sensor.

November 2020